



CHANGE MACHINES

PRODUCT CATALOG

 HAMILTON



888-723-4858



sales@hamiltonmfg.com



hamiltonmfg.com



Rear Load Change Machines	
3600RL	4
DRS	5
RNS	6
ER-60	7
Bill to Bill	8
Bill to Bill Mini	9
Rear Load Change Machines with Credit Card	
DRS-CCT	10
RNS-CCT	11
Rear Load Change & Gift Card Dispenser	
CCD	12
Front Load Change Machines	
1200FL-C & 1200FL-S	13
3600FL	14
2000V & 2600V	15
E-385 & E-770	16
VN-1	17
Data Access Network (D.A.N.)	18
Headers & Bases	19
Accessories & Options Glossary	19



Available for use in the USA



Available for use in Canada

Note: configuration and available options will differ to USA spec. Please consult your Hamilton sales representative for further information.



Available for use in Australia

Note: configuration and available options will differ to USA spec. All Australian-spec machines include Mars® validators and step down transformers. Please consult your Hamilton sales representative for further information.



Heavy Duty, Rear-Load

The **3600RL** offers the most versatility of any rear-load changer. It can be configured with one, two or three high capacity hoppers, and one or two validators. A multi-coin acceptor may be added to fit the needs of your business.

When used with the Data Access Network (D.A.N.), you have the ability to remote into the changer and clear certain error codes, as well as view audits.

A Handheld Kit is required for programming.

Changes/Pays

\$1, \$5, \$10, \$20 to coins or tokens

Features

- Two Hamilton XE validators (with Tokennote® acceptance)
- 1,000 bill stacker
- Cabinet: 11 gauge carbon steel
- Faceplate: 7 gauge stainless steel
- Heater pad (with XE validator only)
- Weather shields
- Two heavy-duty Medeco® plug locks
- Audit Pro 2000 controller
- Maximum capacity: 1 hopper - 4,800 quarters; 2 hopper - 9,600 quarters; 3 hopper - 14,400 quarters
- Power: 120 VAC 60 Hz
- Weight: 325 lbs. /147 kg
- ETL listed



3600RL DIMENSIONS (U.S. & metric)

Cabinet & minimum wall opening:

34 7/8" H x 21 1/4" W x 14 3/8" D
88.6 cm H x 54 cm W x 36.5 cm D

Faceplate:

38 3/8" H x 24 3/4" W x 3/16" D
97.5 cm H x 63 cm W x 48 cm D

14,400 QUARTER CAPACITY

2 validators / 3 hoppers

1 validator / 3 hoppers

9,600 QUARTER CAPACITY

2 validators / 2 hoppers

1 validator / 2 hoppers

4,800 QUARTER CAPACITY

1 validator / 1 hopper

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - *included in base configuration*

Mars

Coinco

3600RL ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines, *required for programming*) [part #100-0136]

IDX coin acceptor/mechanism

Customized face panel

Token face panel

Token hopper (must indicate token size when ordering)

Locking hopper cover [part #11-0052A]

Out of Service relay kit [part #47-0155A]

Portable thermal report printer [part #100-0203]

D.A.N.-ready controller (not available when two XE validators are being used)

The 3600RL is a direct replacement to the discontinued RL-2/RL-3 change machines.





Heavy Duty, Rear-Load

The **DRS** is a rear-load changer that has two separate changers in one cabinet.

It comes fully-equipped with two identical sets of components. For high volume locations, the DRS includes two high-capacity bulk load hoppers, which have a 4,800 quarter capacity (\$1,200) each. That's a total of \$2,400 in ONE cabinet.

When used with the Data Access Network (D.A.N.), you have the ability to remote into the changer and clear certain error codes, as well as view audits.

Changes/Pays

\$1, \$5, \$10, \$20 to coins or tokens

Features

- Two Hamilton XE validators (with Tokennote® acceptance)
- 1,000 bill stacker
- Cabinet: 11 gauge carbon steel
- Faceplate: 7 gauge stainless steel
- Heater pad (with XE validator only)
- Weather shield
- Two heavy-duty Medeco® plug locks
- C-2000 controller
- Maximum capacity: 9,600 Quarters
- Power: 120 VAC 60 Hz
- Weight: 230 lbs/99.8 kg
- ETL listed



DRS DIMENSIONS (U.S. & metric)

Cabinet & minimum wall opening:
34-3/4" H x 18-3/16" W x 14-7/16" D
88.3 cm H x 46.4 cm W x 36.8 cm D

Faceplate:
38-5/16" H x 21-5/8" W
97.3 cm H x 54.9 cm W

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - included in base configuration

Mars

Coinco

DRS ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines) [part #100-0136]

Customized face panel

Token face panel

Token hopper (must indicate token size when ordering)

Locking hopper cover [part #11-0052A]

Out of Service relay kit [part #47-0155A]

Audit Pro 2000 controller (Handheld Kit required for programming)

Portable thermal report printer (works with Audit Pro 2000 controller only) [part #100-0203]

D.A.N.-ready controller



Heavy Duty, Rear-Load

The **RNS** changer features a single bill acceptor with a high capacity coin hopper that holds up to 4,800 quarters (\$1,200), and a wrap-around style door for added security.

When used with the Data Access Network (D.A.N.), you have the ability to remote into the changer to clear certain error codes, as well as view audits.

Changes/Pays

\$1, \$5, \$10, \$20 to coins or tokens

Features

- Hamilton XE validator (with Tokennote® acceptance)
- 1,000 bill stacker
- Cabinet: 11 gauge carbon steel
- Faceplate: 7 gauge stainless steel
- Heater pad (with XE validator only)
- Weather shield
- Two heavy-duty Medeco® plug locks
- C-2000 controller
- Maximum capacity: 4,800 quarters
- Power: 120 VAC 60Hz
- Weight: 150 lbs/68 kg
- ETL listed



RNS DIMENSIONS (U.S. & metric)

Cabinet & minimum wall opening:

34-1/2" H x 9" W x 13" D

89.6 cm H x 22.9 cm W x 33 cm D

Faceplate:

38-1/2" H x 12" W

97.8 cm H x 30.5 cm W

RNS-XT

The RNS-XT has the same features as the standard RNS, but includes an extended faceplate that is 5" wider

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - included in base configuration

Mars

Coinco

RNS ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines) [part #100-0136]

Customized face panel

Token face panel

Token hopper (must indicate token size when ordering)

Locking hopper cover [part #11-0052A]

Out of Service relay kit [part #47-0155A]

Audit Pro 2000 controller (Handheld Kit required for programming)

Portable thermal report printer (works with Audit Pro 2000 controller only) [part #100-0203]

D.A.N.-ready controller

The RNS is a direct replacement to the discontinued CM1 change machine.





Heavy Duty, Rear-Load

The **ER-60** is our most economical rear-load changer. It features all of the same high quality components as the RNS, with a maximum hopper capacity of 2,400 quarters (\$600).

When used with the Data Access Network (D.A.N.), you have the ability to remote into the changer to clear certain error codes, as well as view audits.

Changes/Pays

\$1, \$5, \$10, \$20 to coins or tokens

Features

- Hamilton XE validator (with Tokennote® acceptance)
- 1,000 bill stacker
- Cabinet: 11 gauge carbon steel
- Faceplate: 7 gauge stainless steel
- Heater pad (with XE validator only)
- Weather shield
- Two heavy-duty Medeco® plug locks
- C-2000 controller
- Maximum capacity: 2,400 quarters
- Power: 120 VAC, 60 Hz
- Weight: 135 lbs/61 kg
- ETL listed



ER-60 DIMENSIONS (U.S. & metric)

Cabinet & minimum wall opening:

20-3/4" H x 15" W x 13" D
52.7 cm H x 38.1 cm W x 33 cm D

Faceplate:

24-3/4" H x 18" W
62.9 cm H x 45.7 cm W

ER-60 XT

The ER-60-XT has the same features as the standard ER-60, but includes an extended faceplate. It is a direct replacement to the discontinued 540XRS change machine.

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - *included in base configuration*

Mars

Coinco

ER-60 ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines) [part #100-0136]

Customized face panel

Token face panel

Token hopper (must indicate token size when ordering)

Out of Service relay kit [part #47-0155A]

Audit Pro 2000 controller (Handheld Kit required for programming)

Portable thermal report printer (works with Audit Pro 2000 controller only) [part #100-0203]

D.A.N.-ready controller



Heavy Duty Rear-Load Changer

Give customers more bill changing options with the Hamilton **Bill to Bill** change machine. Break larger bills down to smaller bills, and/or bills to coins.

The Bill to Bill dispenser is offered with a dual cassette to give more versatility. The optional coin hopper will allow dispensing of either coins or tokens along with bills. Choose from Hamilton's XE validator, or third-party validators. With the Mars® validator, you can accept up to a \$100 bill.

A Handheld Kit is required for programming.

Changes/Pays

\$1, \$5, \$10, \$20 to bills, coins or tokens

Features:

- Hamilton XE validator
- 1,000 bill stacker
- Cabinet: 11 gauge stainless steel
- Faceplate: 7 gauge stainless steel
- Weather shield
- Two heavy-duty Medeco® locks
- EGL controller (D.A.N. compatible)
- Maximum capacity: 4,800 quarters
- Dual bill dispenser
- Power: 120 VAC 60Hz
- Weight: 230 lbs/104.3 kg



BILL TO BILL DIMENSIONS (U.S. & metric)

Cabinet & minimum wall opening:
 34 ¾" H x 18 3/16" W x 14 7/16" D
 88.3 cm H x 46.4 cm W x 36.8 cm D

Faceplate:
 38 5/16" H x 21 5/8" W
 97.3 cm H x 54.9 cm W

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - included in base configuration

Mars High Denomination (accepts \$1 - \$100 bills)

Coinco

HEATER

Cabinet heater [part #47-3177]

BILL TO BILL ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines, required for programming) [part #100-0136]

Customized face panel

Token face panel

Coin hopper (dispense quarters, dollar, or two dollar coins)

Token hopper (must indicate token size when ordering)

No hopper

Locking hopper cover [part #11-0052A]

Out of Service relay kit [part #47-0155A]

Spare bill cassettes [part #49-9533]

Bill cassette lock [part #63-5061]





Compact Bill Dispensing Rear-Load

The **Bill to Bill Mini** features the same high-quality components as the **Bill to Bill** changer, but takes up a smaller footprint.

The bill dispenser is offered with a dual cassette to give greater versatility. Choose from Hamilton's XE bill validator or several third party validators. With the Mars® validator, accept up to a \$100 bill.

A Handheld Kit is required for programming.

Changes/Pays

\$1, \$5, \$10, \$20 to bills

Features:

- Hamilton XE validator
- 1,000 bill stacker
- Cabinet: 11 gauge stainless steel
- Faceplate: 7 gauge stainless steel
- Weather shield
- Two heavy-duty Medeco® locks
- EGL controller (D.A.N. compatible)
- Dual bill dispenser
- Power: 120 VAC 60Hz
- Weight: 50 lbs/22.7 kg



B2B MINI DIMENSIONS (U.S. & metric)

Cabinet & minimum wall opening:
 24 1/4" H x 15" W x 14" D
 88.3 cm H x 46.4 cm W x 36.8 cm D

Faceplate:
 28 1/4" H x 18" W
 97.3 cm H x 54.9 cm W

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - *included in base configuration*

Mars High Denomination (accepts \$1 - \$100 bills)

Coinco

BILL TO BILL MINI ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines, required for programming) [part #100-0136]

Customized face panel

Out of Service relay kit [part #47-0155A]

Spare bill cassettes [part #49-9533]

Bill cassette lock [part #63-5061]



Dual Rear-Load Changer with Credit Card to Token Capabilities

The **DRS-CCT** is a dual rear-load changer that is designed to accept cash and dispense change or tokens on one side of the machine, as well as accept credit cards and Gift Cards to dispense tokens on the other side of the machine.

Installation requires a CAT 5 line to each side of the machine for data transmission through the high speed Internet connection.

Requires the Data Access Network (D.A.N.) for operation, and a Handheld Kit for programming.

Changes/Pays

\$1, \$5, \$10, \$20 to coins or tokens; credit card to tokens

Features:

- Credit card reader (magnetic stripe)
- Hamilton XE validator (with Tokenote® acceptance)
- 1,000 bill stacker
- Cabinet: 11 gauge carbon steel
- Faceplate: 7 gauge stainless steel
- Heater (with XE validator only)
- Weather shield
- Two heavy-duty Medeco® plug locks
- DTV controller for credit card side
 - maximum capacity 4,800 quarter-sized tokens
- DCC controller for changer side
 - maximum capacity 4,800 quarters
- Power: 120 VAC 60 Hz
- Weight: 220 lbs/99.8 kg



DRS-CCT DIMENSIONS (U.S. & metric)

Cabinet & minimum wall opening:
 34 3/4" H x 18 1/4" W x 14 7/16" D
 88.3 cm H x 46.4 cm W x 36.8 cm D

Faceplate:
 38 5/16" H x 21-5/8" W
 97.3 cm H x 54.9 cm W

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - *included in base configuration*

Mars

Coinco

DRS-CCT ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines, required for programming) [part #100-0136]

Customized face panel

Token face panel

Token hopper (must indicate size when ordering)

Locking hopper cover [part #11-0052A]

Out of Service relay kit [part #47-0155A]





Rear-Load Credit Card to Token Changer

The **RNS-CCT** is a single rear-load changer designed to only accept credit cards or Gift Cards and dispense tokens. Gift Cards work just like a credit card - use them to promote return business by offering bonus token payouts for higher dollar purchases.

Installation requires a CAT 5 line to the machine for data transmission through the high speed Internet connection.

Requires the Data Access Network (D.A.N.) for operation, and a Handheld Kit for programming.

Changes/Pays

Credit card to tokens

Features:

- Credit card reader (magnetic stripe)
- Cabinet: 11 gauge carbon steel
- Faceplate: 7 gauge stainless steel
- Two heavy-duty Medeco® plug locks
- DTV controller
- Maximum capacity: 4,800 quarter-sized tokens
- Power: 120 VAC 60 Hz
- Weight: 125 lbs/56.7



RNS-CCT DIMENSIONS (U.S. & metric)

Cabinet & minimum wall opening:

34 1/2" H x 9" W x 13" D

89.6 cm H x 22.9 cm W x 33 cm D

Faceplate:

38 1/2" H x 12" W

97.8 cm H x 30.5 cm W

RNS-CCT ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines, required for programming) [part #100-0136]

Customized face panel

Locking hopper cover [part #11-0052A]

Out of Service relay kit [part #47-0155A]



Rear-Load Gift Card Dispenser and Coin Changer

The Card and Change Dispenser (CCD) offers both a Gift Card Dispenser and change machine in one convenient unit.

Customers can purchase new Gift Cards (with a choice of dollar amount values), check balances on existing cards, and add additional value through a simple instructional display. They can also print receipts at the CCD for transactions made in self serve bays.

Requires the Data Access Network (D.A.N.) for operation, and a Handheld Kit for programming.

Changes/Pays

\$1, \$5, \$10, \$20 to coins or tokens

Features:

- Hamilton XE validator (with Tokennote® acceptance)
- 1,000 bill stacker
- Cabinet: 11 gauge stainless steel
- Faceplate: 7 gauge painted stainless steel
- Weather shield
- Two heavy-duty Medeco® plug locks
- EGL controller
- Backlit display
- Maximum capacity:
 - 4,800 quarters
 - 200 gift cards
- Power: 120 VAC 60Hz
- Approximate weight: 230 lbs/117.9 kg



Ingenico iUC285 EMV (USA)



Verifone UX (Canada)



CCD DIMENSIONS (U.S. & metric)

Cabinet & minimum wall opening:

34 3/4" H x 18 1/4" W x 20 5/16" D | 88.3 cm H x 46.4 cm W x 52.4 cm D

Faceplate:

38 1/4" H x 21 5/8" W | 97.2 cm H x 54.9 cm W

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - included in base configuration

Mars

Coinco

CREDIT CARD OPTIONS

Mag Stripe - included in base configuration

Ingenico iUC285 all-in-one card reader (supports mag stripe, EMV/chip, and NFC) **[USA market]**

Verifone UX Solution (pinpad, EMV/chip reader, NFC reader) **[Canadian market]**

CCD ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines, required for programming) [part #100-0136]

Customized face wrap

Cabinet heater [part #47-3177]

Locking hopper cover [part #11-0052A]





Heavy Duty, Front-Load

The 1200FL-C features an 11-gauge carbon steel cabinet with a single validator and a single high capacity hopper that holds 4,800 quarters (\$1,200). The 1200FL-C is recommended for indoor use (see 1200FL-S below for outdoor option).

When used with the Data Access Network (D.A.N.), you have the ability to remote into the changer and clear certain error codes and view audits.

Changes/Pays

\$1, \$5, \$10, \$20 to coins or tokens

Features:

- Hamilton XE validator (with Tokennote® acceptance)
- 1,000 bill stacker
- Cabinet: 11 gauge stainless carbon steel
- Weather shield
- Two heavy-duty Medeco® plug locks
- C-2000 Controller
- Maximum capacity: 4,800 quarters
- Power: 120 VAC 60 Hz
- Weight: 1200FL-S 130 lbs./59 kg | 1200FL-C 160 lbs./72.7 kg
- ETL listed



1200FL-C DIMENSIONS (U.S. & metric)

Cabinet:

26" H x 19 1/8" W x 13" D
66 cm H x 48.6 cm W x 33cm D

1200FL-S

The 1200FL-S includes the same features as the FL-C, but has an 11 gauge stainless steel cabinet and is suitable for both indoor and outdoor use. Includes heater pad when paired with XE validator.

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - included in base configuration

Mars

Coinco

1200FL ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines) [part #100-0136]

IDX coin acceptor/mechanism

Customized face panel

Token face panel

Token hopper (must indicate size when ordering)

Locking hopper cover [part #11-0052A]

Locking stacker cover [part #36-0052A]

Out of Service Relay Kit [part #47-0155A]

Audit Pro 2000 controller (Handheld Kit required for programming)

Portable thermal report printer (works with Audit Pro 2000 controller) [part #100-0203]

Medium console base [part #61-0029A]

D.A.N.-ready controller

The 1200FL-C is a direct replacement to the discontinued H-1 change machine.

The 1200FL-S is a direct replacement to the discontinued SS-1 change machine.



Heavy Duty, Front-Load

The 3600FL changer offers the most versatility of any front-load changer. It comes with one validator and can be configured with one, two, or three high capacity hoppers. A multi-coin acceptor may be added to fit the needs of your business.

When used with the Data Access Network (D.A.N.), you have the ability to remote into the changer and clear certain error codes, as well as view audits.

A Handheld Kit is required for programming.

Changes/Pays

\$1, \$5, \$10, \$20 to coins or tokens

Features:

- Hamilton XE validator (with Tokennote® acceptance)
- 1,000 bill stacker
- Cabinet: 11 gauge carbon steel
- Weather shield
- Two heavy-duty Medeco® plug locks
- C-2000 Controller
- Maximum capacity: 1 hopper - 4,800 quarters; 2 hopper - 9,600 quarters; 3 hopper - 14,400 quarters
- Power: 120 VAC 60 Hz
- Weight: 300 lbs/136.1kg
- ETL listed



3600FL DIMENSIONS (U.S. & metric)

Cabinet:

41 7/8" H x 20" W x 12 7/8" D
105 cm H x 50.8 cm W x 32.7cm D

14,400 QUARTER CAPACITY

1 validator / 3 hoppers

9,600 QUARTER CAPACITY

1 validator / 2 hoppers

4,800 QUARTER CAPACITY

1 validator / 1 hopper

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - *included in base configuration*

Mars

Coinco

3600FL ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines, *required for programming*) [part #100-0136]

IDX coin acceptor/mechanism

Customized face panel

Token face panel

Token hopper (must indicate token size when ordering)

Locking hopper cover [part #11-0052A]

Locking stacker cover [part #36-0052A]

Out of Service relay kit [part #47-0155A]

Audit Pro 2000 controller (Handheld Kit required for programming)

Portable thermal report printer [part #100-0203]

Large console base for 3600FL (front load) [part #61-0578A]

D.A.N.-ready controller

The 3600FL is a direct replacement to the discontinued HS-2/HS-3 change machines.





Recommended only for indoor attended locations

High Capacity, Economy

The 2000V features a single validator with a high-capacity hopper that holds 8,000 quarters (\$2,000). A coin acceptor is optional.

The 2600V features a second hopper that holds an additional 2,400 quarters (\$600).

Changes/Pays

\$1, \$5, \$10, \$20 to coins or tokens

Features

- Coinco® validator
- 1,000 bill stacker
- Cabinet: 12 gauge carbon steel
- Four-point high security locking mechanism with Medeco® plug locks
- C-2000 controller
- Maximum capacity: 2000V - capacity 8,000 quarters; 2600V - capacity 10,400 quarters
- Weight: 135 lbs/76.7 kg
- ETL listed



DIMENSIONS (U.S. & metric)
Cabinet:
 34" H x 18" W x 13 ¼" D
 86.4 cm H x 45.7 cm W x 33.7 cm D

BILL ACCEPTOR/VALIDATOR OPTIONS

Coinco - *included in base configuration*

- XE
- Mars

2000V / 2600V ACCESSORIES & OPTIONS

- Handheld Kit (interchangeable between machines) [part #100-0136]
- IDX coin acceptor/mechanism
- Change face wrap (red, black, blue, or green color options)
- Token face wrap (red, black, blue, or green color options)
- Customized face wrap
- Locking stacker cover [part #36-0052A]
- Out of Service Relay Kit [part #47-0155A]
- Audit Pro 2000 controller (Handheld Kit required for programming)
- Portable thermal report printer (works with Audit Pro 2000 controller only) [part #100-0203]
- Floor mount complete base kit (includes base, footer, and header) [part #100-0107]
- Floor mount header/base only kit [part #100-0105]
- Floor mount footer only [part #100-0108]
- Floor mount base only [#100-0104]
- Header only [part #100-0103]



Recommended only for indoor attended locations

Low Capacity, Front-Load Economy Changers

The E-385 and E-770 Economy Changers are designed to provide reliability at a lower cost without sacrificing quality.

The E-385 features a single validator with a single hopper that holds 1,540 quarters (\$385).

The E-770 features a second hopper that brings the capacity to 3,080 quarters (\$770).

Changes/Pays

E-385 - \$1, \$5, \$10, \$20 to coins or tokens

E-770 - \$1, \$5, \$10, \$20 to coins or tokens

Features

- Coinco® validator
- Cabinet: 14 gauge carbon steel
- Three-point high security locking system with Medeco® plug locks
- E770 controller
- Maximum capacity: E-385 - 1,540 quarters; E-770 - 3,080 quarters
- Power: 120 VAC 60 Hz
- Weight:
 - E-385 – 68 lbs/30.8 kg
 - E-770 – 75 lbs/34.0 kg



DIMENSIONS (U.S. & metric)

Cabinet:

22 3/8" H x 12" W x 15 1/4" D
57.4cm H x 30.5cm W x 38.7cm D

E-385

1,540 quarter capacity

E-770

3,080 quarter capacity

E-385 / E-770 ACCESSORIES & OPTIONS

Token face wrap

Customized face wrap

Token hopper (must indicate token size when ordering)

Header and base kit [part #61-0611A]

Red painted cabinet





Recommended only for indoor attended locations

Medium Capacity, Front-Load

The VN-1 Changer features a single validator with a single high capacity hopper that holds 4,800 quarters (\$1,200). It is designed for vending areas and may be purchased with an optional header and base kit for mounting.

Changes/Pays

\$1, \$5, \$10, \$20 to coins or tokens

Features

- Hamilton XE validator (with Tokennote® acceptance)
- 1,000 bill stacker
- Cabinet: 12 gauge carbon steel
- Three-point high security locking system with Medeco® plug locks
- C-2000 controller
- Maximum capacity: 4,800 quarters
- Power: 120 VAC 60 Hz
- Weight: 115lbs/52 kg



VN-1 DIMENSIONS (U.S. & metric)

Cabinet:

36 3/8" H, 9 15/16" W, 13 1/4" D
92.4 cm H x 25.4 cm W x 33.6 cm D

BILL ACCEPTOR/VALIDATOR OPTIONS

XE - *included in base configuration*

Mars

Coinco

VN-1 ACCESSORIES & OPTIONS

Handheld Kit (interchangeable between machines) [part #100-0136]

Token face wrap

Customized face wrap

Token hopper (must indicate token size when ordering)

Locking hopper cover [part #11-0052A]

Locking stacker cover [part #36-0052A]

Out of Service relay kit [part #47-0155A]

Red painted cabinet

Header and base kit [part #61-0576A]

Audit Pro 2000 Controller (Handheld Kit required for programming)

Portable thermal report printer (works with Audit Pro 2000 Controller only) [part #100-0203]

DATA ACCESS NETWORK (D.A.N.)

A **Data Access Network (D.A.N.) System** acts as a central hub at your car wash location, providing credit card clearing, audit information, equipment status, *Hosted Solutions* integration, and more.

Required for DRS-CCT, RNS-CCT and CCD

Optional for 3600, Bill to Bill, Bill to Bill Mini, 1200, RNS, DRS, and ER-60

FEATURES

- Windows 8.1 operating system
- Ties any Hamilton change machine to *Hosted Solutions*, Hamilton's cloud-based site management platform
- Supports high-speed credit card clearing for change machines
- Email and text notifications: get status and error reports on any change machines connected to the D.A.N.
- Supports Hamilton Gift Cards
 - sell value/gift cards and build a loyal customer base
 - customize with your logo and brand
 - use as either pre-paid or post-pay card
 - allows you to reduce credit card fees
 - same size as a credit card
- Validated payment application (PCI PA-DSS)
- **Requires customer-supplied keyboard, monitor, and mouse**



MODELS

Econo D.A.N.

(computer only, does not include cabinet housing. Not suitable for wet environments) [part #49-9669]

Power: 120 VAC, 60Hz | Weight: 1.95lbs/0.88kg

Basic D.A.N.

(includes computer and heavy-duty cabinet housing, suitable for use in wet environments) [part #49-9671]

Power: 120 VAC, 60Hz | Weight: 40lbs/18.1kg | Cabinet construction: 14 gauge stainless steel

Dimensions: 20" H x 19 7/8" W x 5" D | 50.8cm H x 50.5cm W x 12.7cm D

ACCESSORIES

Card reader to activate, recharge, and check balance of Gift Cards (for Econo or Basic versions) [part #49-9442]

Transaction receipt printer (allows printing of receipts from D.A.N. computer) [part #100-0118]

Cash drawer and transaction receipt printer for D.A.N. [part #100-0205]

* D.A.N. systems include Validated Payment Application (PCI PA-DSS) software for high-speed credit card processing, Gift Card acceptance, and remote management. If using mag stripe credit card processing, an account with E-xact Transactions Ltd. (secure gateway provider) is required. For a complete list of component requirements specific to your location and setup, please contact the Hamilton Sales Department.



Header & Base Kits

For 72" in-line banking. Compatible with the VN-1, E385/E-770 and 2000V/2600V change machines.

Color options: black or red (red not available for 2000V model changers)

Console Bases

Large console base available for the 3600FL series changers.

Medium console base available for the 1200FL series changers.

Color options: grey or black



Medium console base



Large console base



Footer for 2000V/2600V



VN-1 shown with Header & Base Kit

ACCESSORIES & OPTIONS GLOSSARY

Validators

Our change machines can accept various currency denominations through a choice of either Hamilton XE with Tokenote® acceptance, Mars®, or Coinco® validators.

Handheld Kit

This provides a convenient way to view audit data and change payout options. All coin, bill and Tokenote® payout transactions are displayed on the LCD screen (not available for the E385/E770).

Portable Thermal Printer

This allows you to print hard copy audit reports for any change machine using the Audit Pro 2000 controller.

Customized Face Panel/Wrap

Hamilton can customize your change machine panels or wraps with your logo and color scheme. Further information is available at hamiltonmfg.com/panels.

Token Face Panel/Wrap

If your change machine will be dispensing tokens, a token face panel/wrap is available at no additional cost.

Coin Acceptors

An IDX® coin acceptor is available for the 3600RL, 3600FL, 1200FL, and 2000/2600V series changers. Microcoin acceptors are used in all Australian-spec machines.

Out-of-Service Relay Kit

Permits connection of your Hamilton product to a wash computer or a paging system to notify you of a service problem (not available for all models).

Locking Hopper Cover

Deters removal of coins from an open hopper (not available in the E385/E770, ER-60 or 2000V/2600V changers).

Locking Stacker Cover

Helps prevent removal of currency from the stacker in front-load model changers (for use with XE validator only)

Tokenotes®

For changers with the Hamilton XE validator, Tokenote® acceptance is available. Tokenotes® are used the same as paper currency, but reduce the amount of cash handling within your business. Change machine must be configured to dispense tokens.



Hamilton Mfg Corp.
1026 Hamilton Dr.
Holland, OH 43528

P: 419.867.4858
P: 888.723.4858
F: 419.867.4850

hamiltonmfg.com